

Non-Trimable Butyl


IDEAL FOR RUBBER ROOFS



No. 101, 110, and 133 Sealing Tapes are tough, non-hardening elastic Butyl based materials with excellent sealing properties. They are pliable, tacky sealant tapes which will adhere to any type of metal, wood, concrete, glass, plastics, and porous surfaces. Excellent sealant for any lap joints. They are non-trimmable materials but could be cut with a utility knife. The adhesion increases with age after being applied, assuring a long safe and durable seal. They are ideal for sealing roof and side panels such as aluminum to aluminum, galvanized to galvanized or aluminum to galvanized metal. They can be applied between temperatures -30F and 200F; best results if applied at room temperature on dry materials.

#101 NON-TRIMMABLE BLACK BUTYL					
Part Number	Size	Rolls/Case	Part Number	Size	Rolls/Case
5020*	1/16 x 1/2 x 45'	28	5029	1/8 x 2 x 42"	12
5003*	1/16 x 3/4 x 45'	20	5030	1/8 x 2 x 30'	8
5001	1/16 x 1 x 45'	16	5034	1/8 x 3 x 30'	4
5002	1/16 x 1-1/2 x 45'	12	5042*	1/8 x 4 x 30'	4
5005*	1/16 x 1-3/4 x 45'	8	5058*	3/16 x 1/2 x 20'	28
5006*	1/16 x 2 x 45'	8	5055	3/16 x 3/4 x 20'	20
5004*	1/16 x 3 x 45'	4	5050	3/16 x 1 x 20'	16
5023*	1/8 x 3/8 x 30'	28	5052*	3/16 x 1-1/4 x 20'	12
5028*	1/8 x 1/2 x 30'	28	5051*	3/16 x 1-1/2 x 20'	12
5031	1/8 x 3/4 x 30'	20	5054*	3/16 x 2 x 20'	8
5038*	1/8 x 9/16 x 30'	28	5077	1/4 x 3/4 x 18'	20
5025	1/8 x 1 x 30'	16	5075	1/4 x 1 x 18'	16
5027	1/8 x 1-1/4 x 30'	12	5080	1/4 x 2 x 18'	8
5026	1/8 x 1-1/2 x 30'	12	5083	1/4 x 2 x 18'	8
5039*	1/8 x 1-3/4 x 30'	8			
*NOT STOCK ITEM - 42 CASE MINIMUM					

Manufacturing Division
 Elixir Industries - Division 42
 640 Collins Road • Elkhart, IN 46516
 Tel: (574) 294-5685 • Fax: (574) 293-0946
www.elixirind.com



Supplying Divisions

- Div. 42 - Elkhart, IN
- Div. 65 - Waco, TX
- Div. 76 - Mesa, AZ
- Div. 81 - Tuscumbia, AL
- Div. 82 - Leola, PA



MADE IN THE U.S.A.



Non-Trimable Butyl


IDEAL FOR RUBBER ROOFS



No. 101, 110, and 133 Sealing Tapes are tough, non-hardening elastic Butyl based materials with excellent sealing properties. They are pliable, tacky sealant tapes which will adhere to any type of metal, wood, concrete, glass, plastics, and porous surfaces. Excellent sealant for any lap joints. They are non-trimmable materials but could be cut with a utility knife. The adhesion increases with age after being applied, assuring a long safe and durable seal. They are ideal for sealing roof and side panels such as aluminum to aluminum, galvanized to galvanized or aluminum to galvanized metal. They can be applied between temperatures -30F and 200F; best results if applied at room temperature on dry materials.

#110 NON-TRIMMABLE WHITE BUTYL					
Part Number	Size	Rolls/Case	Part Number	Size	Rolls/Case
5120	1/16 x 1/2 x 45'	28	5130	1/8 x 2 x 30'	8
5103	1/16 x 3/4 x 45'	20	5133	1/8 x 2-1/2 x 30'	8
5101	1/16 x 1 x 45'	16	5158*	3/16 x 1/2 x 20'	28
5102	1/16 x 1-1/2 x 45'	12	5155	3/16 x 3/4 x 20'	20
5105	1/16 x 1-3/4 x 45'	8	5150	3/16 x 1 x 20'	16
5112*	3/32 x 1/2 x 35'	28	5152*	3/16 x 1-1/4 x 20'	12
5113*	3/32 x 1-1/2 x 35'	12	5151*	3/16 x 1-1/2 x 20'	12
5128	1/8 x 1/2 x 30'	28	5153*	3/16 x 1-3/4 x 20'	8
5131	1/8 x 3/4 x 30'	20	5154*	3/16 x 2 x 20'	8
5125	1/8 x 1 x 30'	16	5177	1/4 x 3/4 x 18'	20
5127	1/8 x 1-1/4 x 30'	12	5175*	1/4 x 1 x 18'	16
5126	1/8 x 1-1/2 x 30'	12	5181	1/4 x 1-1/4 x 18'	12
5139	1/8 x 1-3/4 x 30'	8	5183*	1/4 x 2 x 18'	8
5129	1/8 x 2 x 42"	12			
*NOT STOCK ITEM - 42 CASE MINIMUM					

Manufacturing Division
 Elixir Industries - Division 42
 640 Collins Road • Elkhart, IN 46516
 Tel: (574) 294-5685 • Fax: (574) 293-0946
www.elixirind.com



Supplying Divisions

- Div. 42 - Elkhart, IN
- Div. 65 - Waco, TX
- Div. 76 - Mesa, AZ
- Div. 81 - Tuscumbia, AL
- Div. 82 - Leola, PA



MADE IN THE U.S.A.



Non-Trimmmable Butyl

IDEAL FOR RUBBER ROOFS




No. 101, 110, and 133 Sealing Tapes are tough, non-hardening elastic Butyl based materials with excellent sealing properties. They are pliable, tacky sealant tapes which will adhere to any type of metal, wood, concrete, glass, plastics, and porous surfaces. Excellent sealant for any lap joints. They are non-trimmable materials but could be cut with a utility knife. The adhesion increases with age after being applied, assuring a long safe and durable seal. They are ideal for sealing roof and side panels such as aluminum to aluminum, galvanized to galvanized or aluminum to galvanized metal. They can be applied between temperatures -30F and 200F; best results if applied at room temperature on dry materials.

#133 NON-TRIMMABLE BUTYL					
Part Number	Size	Rolls/Case	Part Number	Size	Rolls/Case
5307*	1/16 x 3/8 x 45'	28	5330	1/8 x 2 x 30'	8
5320	1/16 x 1/2 x 45'	28	5355*	3/16 x 3/4 x 20'	20
5303*	1/16 x 3/4 x 45'	20	5350*	3/16 x 1 x 20'	16
5301*	1/16 x 1 x 45'	16	5352*	3/16 x 1-1/4 x 20'	12
5302*	1/16 x 1-1/2 x 45'	12	5351*	3/16 x 1-1/2 x 20'	12
5328*	1/8 x 1/2 x 30'	28	5377	1/4 x 3/4 x 18'	20
5331	1/8 x 3/4 x 30'	20	5375*	1/4 x 1 x 18'	16
5325	1/8 x 1 x 30'	16	5383*	1/4 x 2 x 18'	8
5327*	1/8 x 1-1/4 x 30'	12	5387	1/2 x 2 x 24'	24 STRIPS
5326	1/8 x 1-1/2 x 30'	12			
*NOT STOCK ITEM - 42 CASE MINIMUM					

Manufacturing Division
 Elixir Industries - Division 42
 640 Collins Road • Elkhart, IN 46516
 Tel: (574) 294-5685 • Fax: (574) 293-0946
www.elixirind.com

Supplying Divisions

- Div. 42 - Elkhart, IN
- Div. 65 - Waco, TX
- Div. 76 - Mesa, AZ
- Div. 81 - Tuscumbia, AL
- Div. 82 - Leola, PA



MADE IN THE U.S.A.

